

Keyboard Shortcuts

Legal Notices

Published by Toon Boom Animation Inc.

Corporate Headquarters 7 Laurier Avenue East Montreal, Quebec Canada H2T 1E4 Tel: (514) 278-8666 Fax: (514) 278-2666 www.toonboom.com

Disclaimer

The content of this manual is covered by a specific limited warranty and exclusions and limit of liability under the applicable License Agreement as supplemented by the special terms and conditions for Adobe[®] Flash[®] File Format (SWF). Please refer to the License Agreement and to those special terms and conditions for details.

The content of this manual is the property of Toon Boom Animation Inc. and is copyrighted. Any reproduction in whole or in part is strictly prohibited. For additional copies of this manual, please contact Toon Boom Animation Inc. at

the Corporate Headquarters address.

Copyright © 2007 by Toon Boom Animation Inc. All rights reserved.

Trademarks

Toon Boom Digital Pro is a trademark owned by Toon Boom Animation Inc. All other trademarks are the property of their respective owners.

Credits

Documentation Development: Peter Cawthorne Content Development and Art: Tania Gray, Marie Eve Chartrand

Publication Date

August 2007

Contents

Keyboard Shortcuts	2
Global Commands	
View Windows - General	4
Drawing Mode	5
Function View	9
Camera, Top, Side, Free Views	10
Model View	
Network View	12
Template library	13
Timeline View	
XSheet View	14

Keyboard Shortcuts

This document lists Toon Boom Digital Pro's default keyboard shortcuts.

In this listing, each key in a sequence is inside square brackets as in, [Ctrl]+[A]. The brackets separate the key from the "+" sign, neither are part of the sequence.

To use a shortcut, press the key and the character simultaneously.

To modify a shortcut:

 Select Edit > Preferences to open the Preferences dialog box. On Mac use Digital Pro > Preferences.

ortcuts General Ca	mera Network	Exposure Sheet	Drawing	Template	Timeline	OpenGL	Advar
lame	Shortcut	Default			Clear	Del	ault

- 2. Go to the Shortcuts tab.
- 3. Select the type of command from the Category drop-list.
- 4. Select the specific command from the Commands list.
 - To create a custom shortcut, click the shortcut, and type a new shortcut path.
 - To restore a shortcut to its original keyboard combination, press the Default Value button.
 - To remove the current shortcut, press the **Clear** button.

5. Click OK to save your changes.

If you want to restore all shortcuts to their original keyboard combinations, click the **Restore All Defaults** button and click OK.

Note: The following abbreviations are used throughout this document:

- MMB: Middle-Mouse Button
- LMB: Left-Mouse Button
- RMB: Right-Mouse Button

Global Commands			
Command	Windows	Mac OS X	
Playback Controls	_1		
First Frame	[Shift]+[,] comma	[Shift]+[,] comma	
Last Frame	[Shift]+[.] period	[Shift]+[.] period	
Next Column	[J]	[J]	
Next Drawing	[G]	[G]	
Next Frame	[.] period	[.] period	
Previous Column	[H]	[H]	
Previous Drawing	[F]	[F]	
Previous Frame	[,] comma	[,] comma	
Playback Scene	[Shift]+[Enter]	[Shift]+[Enter]	
Stop Playback	[Shift]+[Enter]	[Shift]+[Enter]	
Animation Selection Mod	les		
All Keyframes Mode	[Shift]+[A]	[Shift]+[A]	
Element Mode	[Shift]+[E]	[Shift]+[E]	
Keyframe Mode	[Shift]+[K]	[Shift]+[K]	
Compositing			
Auto-Render Write	[Ctrl]+[W]	[Command]+[W]	
Edit			
Redo	[Ctrl]+[Shift]+[Z]	[Command]+[Shift]+ [Z]	
Undo	[Ctrl]+[Z]	[Command]+[Z]	
File			
New	[Ctrl]+[N]	[Command]+[N]	
Open	[Ctrl]+[O]	[Command]+[O]	
Render Network	[Ctrl]+[Shift]+[Y]	[Command]+[Shift]+ [Y]	
Save	[Ctrl]+[S]	[Command]+[S]	
Help	1	1	
Help	[F1]	[F1]	
Workspace	1		
Toggle Full Screen	[Ctrl] + [F]	[Command]+[F]	

View Windows - General				
Command	Windows	Mac OS X		
Consecutive Selections	[Shift] + click	[Shift] + click		
Multiple Selections	[Ctrl] + click	[Command] + click		
Edit		<u> </u>		
Сору	[Ctrl]+[C]	[Command]+[C]		
Cut	[Ctrl]+[X]	[Command]+[X]		
Delete	[Delete]	[Delete]		
Deselect All	[Esc]	[Esc]		
Paste	[Ctrl]+[V]	[Command]+[V]		
Paste Special	[Ctrl]+[B]	[Command]+[B]		
Paste Special Again	[Ctrl]+[Shift]+[B]	[Command]+[Shift]+ [B]		
Select All	[Ctrl]+[A]	[Command]+[A]		
View		<u> </u>		
Grabber	[Spacebar]	[Spacebar]		
Recenter on Mouse	[N]	[N]		
Reset Angle	[Shift]+[X]	[Shift]+[X]		
Reset Pan	[Shift]+[N]	[Shift]+[N]		
Reset View	[Shift]+[M]	[Shift]+[M]		
Reset Zoom	[Shift]+[Z]	[Shift]+[Z]		
Zoom In	[2] [Spacebar]+[MMB]+ drag down	[2]		
Zoom Out	[1] [Spacebar]+[MMB]+ drag up	[1]		

Drawing Mode				
Command	Windows	Mac OS X		
Navigation				
Next Column	[J]	[J]		
Next Drawing	[G]	[G]		
Previous Column	[H]	[H]		
Previous Drawing	[F]	[F]		
Clean Up		U		
Closes Gaps	[Shift]+[F10]			
Remove Dirt	[Shift]+[D]	[Shift]+[D]		
Remove Hair	[Shift]+[F11]			
Drawing				
Create Empty Drawing	[Alt]+[Shift]+[R]	[Alt]+[Shift]+[R]		
Duplicate Drawings	[Alt]+[Shift]+[D]	[Alt]+[Shift]+[D]		
Rename Drawing	[Ctrl]+[D]	[Command]+[D]		
Edit		L.		
Select Strokes with Current Colour	[Ctrl]+[Shift]+[A]	[Command]+[Shift]+ [A]		
Morphing		I		
Appearing Point Mode	[F9]			
Contour Hint Mode	[F7]	[F7]		
Delete All Hints	[Shift]+[Delete]	[Shift]+[Delete]		
Delete Hint	[Delete]	[Delete]		
First Frame	[Shift]+[F9]			
Morphing Tool	[F3]	[F3]		
Pencil Hint Mode	[F8]	[F8]		
Toggle Morphing Key Drawing	[F4]	[F4]		
Zone Hint Mode	[F6]	[F6]		
Vanishing Point Mode	[F10]			
Modify Deformation Path	[F11]			
Options				
Apply Tool to All Drawings	[Alt]+[A]	[Alt]+[A]		
Apply Tool to Line and Colour Art	[Shift]+[Q]	[Shift]+[Q]		
Auto-Create Colour Art from Brush	[Shift]+[F2]	[Shift]+[F2]		

Drawing Mode					
Command	Windows	Mac OS X			
Cycle between Drawing Mode	[F2]	[F2]			
Paint and Remove Texture	[Shift]+[F6]	[Shift]+[F6]			
Toggle Protect Colour	[Shift]+[S]	[Shift]+[S]			
Selected					
Bring to Front	[+]	[+]			
Brushes to Pencil Line	[^]	[^]			
Create Colour Art from Line Art	[*]	[*]			
Flatten	[Alt]+[Shift]+[F]	[Alt]+[Shift]+[F]			
Flip Horizontal	[4]	[4]			
Flip Vertical	[5]	[5]			
Group	[Ctrl]+[G]	[Command]+[G]			
Pencil Lines to Brush	[&]	[&]			
Send to Back	[-]	[-]			
Smooth	[Alt]+[Shift]+[S]	[Alt]+[Shift]+[S]			
Strokes to Pencil Line	[Shift]+[F12]				
Ungroup	[Ctrl]+[Shift]+[G]	[Command]+[Shift]+ [G]			

Tools

Contour Editor	[Alt]+[Q] or [Q] Tool Modifiers [Alt]: Toggle marquee and lasso selection tool [Ctrl]: Add anchor point [Shift]: Multiple selections	[Alt]+[Q] or [Q] Tool Modifiers [Alt]: Toggle marquee and lasso selection tool [Command]: Add anchor point [Shift]: Multiple selections
Deform	[Shift]+[F4]	[Shift]+[F4]
Nudge Large Steps	Arrows + [Shift]	Arrows + [Shift]
Nudge Small Steps	Arrows	Arrows
Perspective	[Alt]+[0] (zero)	[Alt]+[0] (zero)
Reset Deformation Skeleton	[F11]	
Select	[Alt]+[S]	[Alt]+[S]

Drawing Mode						
Command	Windows	Mac OS X				
Toggle marquee and lasso selection tool (Contour Editor, Perspective Tool and Select Tool only)	[Alt]	[Alt]				
Select: Copy	[Ctrl] + drag	[Command] + drag				
Select: Delete all outside selection	[Shift]+[Del]	[Shift]+[Del]				
Select: Add to selection	[Shift]	[Shift]				
Tools: Drawing						
Brush	[Alt]+[B]	[Alt]+[B]				
Brush: Change Maximum Size	[O] + drag	[O] + drag				
Brush: Change Minimum Size	[Shift]+[O] + drag	[Shift]+[O] + drag				
Brush: Connect stroke	[Ctrl]	[Command]				
Brush: Straight Line	[Shift] + drag	[Shift] + drag				
Create lines and brushstrokes at 15 degrees	[Shift]	[Shift]				
Line: Draw from last click	[Alt]	[Alt]				
Draw circle (Ellipse) or square (Rectangle) from corner	[Shift]	[Shift]				
Draw Rectangle or Ellipse from center	[Alt]	[Alt]				
Pencil Tool	[Alt]+[/]	[Alt]+[/]				
Select stroke from intersection (all Drawing Tools except Brush and Select)	[Ctrl]+[MMB]					
Switch to Select Tool (all Drawing Tools)	[Ctrl]	[Alt]				
Tools: Erasing	Tools: Erasing					
Cutter	[Alt]+[T]	[Alt]+[T]				
Cutter: Toggle marquee and lasso selection tool	[Alt]	[Alt]				
Eraser	[Alt]+[E]	[Ctrl]+[E]				
Eraser: Switch temporarily to Select tool	[Ctrl]	[Command]				
Eraser: Select stroke from intersection	[Ctrl]+[MMB]					

Drawing Mode				
Command	Windows	Mac OS X		
Eraser: Change Maximum Size	[O] + drag	[O] + drag		
Eraser: Change Minimum Size	[Shift]+[O] + drag	[Shift]+[O] + drag		
Tools: Painting	1			
Close Gap	[Alt]+[C]	[Alt]+[C]		
Close Gap: Use line end, not closest point, to close gap	[Shift]	[Shift]		
Dropper	[Alt]+[D]	[Alt]+[D]		
Edit Gradient/Texture	[Shift] +[F3]	[Shift] +[F3]		
Paint	[Alt]+[I]	[Ctrl]+[I]		
Paint Unpainted	[Alt]+[Y]	[Alt]+[Y]		
Repaint	[Alt]+[R]	[Alt]+[R]		
Repaint Brush	[Alt]+[X]	[Alt]+[X]		
Repaint Brush: Change Maximum Size	[O] + drag	[O] + drag		
Repaint Brush: Change Minimum Size	[Shift]+[O] + drag	[Shift]+[O] + drag		
Stroke	[Alt]+[V]	[Alt]+[V]		
Stroke: Connect stroke	[Alt]	[Alt]		
Stroke: Force straight line	[Shift]	[Shift]		
Unpaint	[Alt]+[U]	[Ctrl]+[U]		
Unpaint: Unpaint all except the clicked zone	[Shift]	[Shift]		
Switch to Select Tool	[Ctrl]	[Command]		
Toggle marquee and lasso selection tool (Paint, Paint Unpainted, Repaint, Unpaint only)	[Alt]	[Alt]		
Tools: Zoom				
Zoom	[Alt]+[Z]	[Alt]+[Z]		
Zoom: Zoom out	[Alt]	[Alt]		
Zoom: Switch to Select Tool	[Ctrl]	[Command]		
Zoom: Select stroke from intersection	[Ctrl]+[MMB]			

Drawing Mode				
Command	Windows	Mac OS X		
View				
Backlight	[A]	[A]		
Hide Line Texture	[W]	[W]		
Light Table	[Shift]+[L]	[Shift]+[L]		
Onion Skin: Next Drawings	[Ctrl]+[`] [Ctrl]+[1] [Ctrl]+[2] [Ctrl]+[3]	[Ctrl]+[`] [Command]+[1] [Command]+[2] [Command]+[3]		
Onion Skin: Previous Drawings	[~] [!] [@] [#]	[~] [!] [@] [#]		
Preview Line and Colour Art	[P]	[P]		
Rotary Table	[Ctrl]+[Alt] +click	[Command]+[Alt] +click		
Show Grid	[Ctrl]+[']	[Command]+[']		
Show Line Texture	[W]	[W]		
Show Onion Skin	[Alt]+[O]	[Alt]+[O]		
Show Other Morphing Key Drawing	[=]	[=]		
Show Strokes	[K]	[K]		
Switch to Colour Art	[L]	[L]		
Switch to Line Art	[L]	[L]		
Fur	nction View			
Command	Windows	Mac OS X		
Insert Point	[I]	[I]		
Next Function	[Page Down]	[Page Down]		
Previous Function	[Page Up]	[Page Up]		
Select Left Handle	[[]	[[]		
Select Right Handle	[]]	[]]		
Toggle Grid	[G]	[G]		
Toggle Lock Point	[L]	[L]		
Zoom In X	[4]	[4]		
Zoom In Y	[6]	[6]		

[3]

[5]

Zoom Out X

Zoom out Y

[3]

[5]

Camera, Top, Side, Free Views				
Command	Windows	Mac OS X		
Navigation	1			
Rotate (Free View)	[Spacebar]+[Alt] +click	[Spacebar]+[Alt] +click		
Animation Selection Mod	des			
All Keyframes Mode	[Shift]+[A]	[Shift]+[A]		
Element Mode	[Shift]+[E]	[Shift]+[E]		
Keyframe Mode	[Shift]+[K]	[Shift]+[K]		
Edit	1			
Delete Keyframes	[F7]	[F7]		
Flip Horizontal	[4]	[4]		
Flip Vertical	[5]	[5]		
Hide All Control Parameters	[Shift]+[C]	[Shift]+[C]		
Insert Control Point	[P]	[P]		
Insert Keyframe	[F6]	[F6]		
Reset All Transformations	[Shift]+[R]	[Shift]+[R]		
Reset Transformation	[R]	[R]		
Select Default Child	[Shift]+[B]	[Shift]+[B]		
Select Default Parent	[B]	[B]		
Select Next Brother	[?]	[?]		
Select Previous Brother	[/]	[/]		
Select Next Keyframe/Object	[']	[']		
Show Peg Spline, Gradient, Focus or Quadmap Control Parameters	[C]	[C]		
Select Previous Keyframe/ Object	[;]	[;]		
Toggle Continuity	[O]	[O]		
Toggle Lock in Time	[Alt]+[L]	[Alt]+[L]		
Toggle Snap Keyframe	[X]	[X]		
Toggle Stop-Motion Segment	[S]	[S]		
Substitute Drawing: Next	[]]	[]]		
Substitute Drawing: Previous	[[]	[[]		
Tools				
Inverse Kinematics	[Alt]+[8]	[Alt]+[8]		
	1	1		

Camera, Top, Side, Free Views				
Command	Windows	Mac OS X		
Maintain Size	[Alt]+[6]	[Alt]+[6]		
Maintain Size: Switch to this tool when Select tool is active	[Alt]+[Shift] +[MMB]	[Alt]+[Shift]+[MMB]		
Offset Spline	[Alt]+[9]	[Alt]+[9]		
Rotate	[Alt]+[3]	[Alt]+[3]		
Rotate: Switch to this tool when Select tool is active	[Alt]+[MMB]	[Alt]+[MMB]		
Scale	[Alt]+[4]	[Alt]+[4]		
Scale: Switch to this tool when Select tool is active	[Ctrl]+[MMB]	[Command]+[MMB]		
Scale: Scale on x or y axis	[Ctrl]+[Shift] +[LMB]	[Command] +[Shift]+click		
Select	[Alt]+[1]	[Alt]+[1]		
Skew	[Alt]+[5]	[Alt]+[5]		
Transform	[Alt]+[7]	[Alt]+[7]		
Translate	[Alt]+[2]	[Alt]+[2]		
Translate: Switch to this tool when Select tool is active	[MMB]			
View		<u>.</u>		
Add All to Onion Skin	[Alt]+[Shift]+[O]	[Alt]+[Shift]+[O]		
Add to Onion Skin	[Shift]+[S]	[Shift]+[S]		
Bitmap Image Quality	[Ctrl]+[Q]			
Editor	[Ctrl]+[E]	[Command]+[E]		

[Alt]+[P]

[Alt]+[H]

[C]

[Ctrl]+[Shift]+[O]

[Ctrl]+[Shift]+[S]

[Alt]+[Shift]+[H]

[Alt]+[O]

[Alt]+[P]

[Alt]+[H]

[0]

[S]

[C]

[Command]+[Shift]+

[Command]+[Shift]+

[Alt]+[Shift]+[H]

[Alt]+[O]

Enable Playback

Remove All Onion Skin

Show Control Parameters

Remove All Other from Onion

Hide Selected

Show Hidden

Show Onion Skin

Skin

Camera, Top, Side, Free Views

Model View				
Command	Windows	Mac OS X		
Model	-			
Unload	[Delete]	[Delete]		
Tools				
Dropper	[Alt]+[D]	[Alt]+[D]		
Zoom	[Alt]+[Z]	[Alt]+[Z]		
View				
Next Drawing	[G]	[G]		
Previous Drawing	[F]	[F]		
Ne	etwork View			
Command	Windows	Mac OS X		
Add to Group	[Alt]+[Shift] + drag	[Alt]+[Shift] + drag		
Center on Selection	[0]	[O]		
Connect/Disconnect Modules	[Alt] + drag	[Alt] + drag		
Create Composite Module	[Ctrl]+[H]	[Ctrl]+[H]		
Create Display Module	[Ctrl]+[Y]	[Command]+[Y]		
Create Group	[Shift]+[G]	[Shift]+[G]		
Create Peg Module	[Ctrl]+[P]	[Command]+[P]		
Create Element Module	[Ctrl]+[R]	[Command]+[R]		
Open Group	[Ctrl]+[Enter]	[Command] +[Enter]		
Edit		L		
Select Default Child	[Shift]+[B]	[Shift]+[B]		
Select Default Parent	[B]	[B]		
Select Previous Brother	[/]	[/]		
Select Next Brother	[?]	[?]		
Show Velocity Editor	[V]	[V]		
Group		- I		
Create Group from Selected	[Ctrl]+[G]	[Command]+[G]		
Exit Group	[Backspace]	[Backspace]		
Move to Parent Group	[Ctrl]+[U]	[Command]+[U]		
Selected	1	- 1		
Disable Module	[D]	[D]		
Enable Module	[A]	[A]		

Network View				
Command	Windows	Mac OS X		
View				
Editor	[Ctrl]+[E]	[Command]+[E]		
Hide Selected Thumbnails	[Alt]+[T]	[Alt]+[T]		
Toggle Show Navigator	[Alt]+[W]	[Alt]+[W]		
Toggle Show Selected	[T]	[T]		
Thumbnails	[']	[']		
Ter	nplate Library	/		
Command	Windows	Mac OS X		
Refresh	[F5]	[F5]		
Ti	meline View			
Command	Windows	Mac OS X		
Add				
Drawing	[Ctrl]+[R]	[Command]+[R]		
Group	[Alt]+[G]	[Alt]+[G]		
Parent Peg	[Shift]+[P]	[Shift]+[P]		
Peg	[Ctrl]+[P]	[Command]+[P]		
Arrange				
Collapse/Expand	[Ctrl]+[I]	[Command]+[I]		
Collapse All Elements	[0] zero	[0] zero		
Expand All Elements	[9]	[9]		
Edit				
Group Selection	[Ctrl]+[G]	[Command]+[G]		
Select Default Child	[Shift]+[B]	[Shift]+[B]		
Select Default Parent	[B]	[B]		
Select Previous Brother	[/]	[/]		
Select Next Brother	[?]	[?]		
Exposure				
Clear Exposure and Pull	[Z]	[Z]		
Decrease Exposure	[-]	[-]		
Extend Exposure	[F5]	[F5]		
Increase Exposure	[+]	[+]		
Insert Blank Frame	[X]	[X]		

Timeline View				
Command	Windows	Mac OS X		
Substiture Drawing: Next	[]]	[]]		
Substiture Drawing: Previous	[[]	[[]		
Motion				
Add Keyframe	[F6]	[F6]		
Delete Keyframes	[F7]	[F7]		
Set Motion Keyframes	[Ctrl]+[K]	[Command]+[K]		
Set Stop-Motion Keyframes	[Ctrl]+[L]	[Command]+[L]		
Morphing				
Create Morphing	[Alt]+[M]	[Alt]+[M]		
View		1		
Center on Selection	[O]	[O]		
Show Functions	[Alt]+[F]	[Alt]+[F]		
X	Sheet View			
Command	Windows	Mac OS X		
Columns				
Add Column	[Shift]+[C]	[Shift]+[C]		
Add Element and Module	[Ctrl]+[R]	[Command]+[R]		
Collapse All	[0] zero	[0] zero		
Expand All	[9]	[9]		
Hide Selected Columns	[Alt]+[H]	[Alt]+[H]		
Show Hidden Columns	[Alt]+[Shift]+[H]	[Alt]+[Shift]+[H]		
Edit				
Insert Mode	[Insert] or [I]	[I]		
Overwrite Mode	[Insert] or [I]	[I]		
Exposure	1			
Clear Keyframe in Selection	[F7]	[F7]		
Clear Exposure and Pull	[Z]	[Z]		
Fill Selection	[Ctrl]+[T]	[Command]+[T]		
Insert Blank Cell	[X]	[X]		
Increase Exposure	[+]	[+]		
Sequence Fill	[Ctrl]+[M]	[Command]+[M]		
Set Selection as Keyframes	[F6]	[F6]		

XSheet View				
Command	Windows	Mac OS X		
Frames	-			
Add Frames After Selection	[Ctrl]+[H]	[Ctrl]+[H]		
Add Frames Before Selection	[Ctrl]+[G]	[Command]+[G]		
Navigation				
First Frame	[Home]	[Home]		
Last Frame	[End]	[End]		
Next Column	[J]	[J]		
Next Drawing	[G]	[G]		
Previous Column	[H]	[H]		
Previous Drawing	[F]	[F]		
Send to Drawing View	[Alt]+ click cell	[Alt]+ click cell		
View				
Preview Selected Drawings	[Alt]+[P]	[Alt]+[P]		